

L Number	Hits	Search Text	DB	Time stamp
1	167	(SPIHT or ZASB or "integer to integer" or "integers to integers" or Lossles\$4 near (wavelet\$4 or subband\$4 or subband\$1 or WSQ or WLT or DWT or sub adj1 band\$3 or sub-band\$1 or filter\$3 near (bank\$1 or scale\$1 or mirror\$1) or filter-bank\$3 or filter scal\$4 or scale-filter\$3 or mirror-filter\$3 or filterbank\$3 or filterscal\$3 or mirrorfilter\$3 or multiresolution or multi adj1 resolution or MRA or pyramid\$5 or qmf\$1 or cqf\$1 or EZW or ondelette\$1 or Morlet or Symlet or Daubechies or Haar or Meyer or Coiflet or biorthogonal\$4 or bi-orthogonal\$4 or bi adj1 orthogonal\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 16:10
2	28595	345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-254.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 16:10
3	243362	382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls. or 341/\$.ccls. or 386/\$.ccls. or 358/\$.ccls. or 707/\$.ccls. or 715.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 16:10
4	28	((SPIHT or ZASB or "integer to integer" or "integers to integers" or Lossles\$4 near (wavelet\$4 or subband\$4 or subband\$1 or WSQ or WLT or DWT or sub adj1 band\$3 or sub-band\$1 or filter\$3 near (bank\$1 or scale\$1 or mirror\$1) or filter-bank\$3 or filter scal\$4 or scale-filter\$3 or mirror-filter\$3 or filterbank\$3 or filterscal\$3 or mirrorfilter\$3 or multiresolution or multi adj1 resolution or MRA or pyramid\$5 or qmf\$1 or cqf\$1 or EZW or ondelette\$1 or Morlet or Symlet or Daubechies or Haar or Meyer or Coiflet or biorthogonal\$4 or bi-orthogonal\$4 or bi adj1 orthogonal\$4))) and (DC or low\$8 or LPF or LF or LP or LL\$3 or less\$2 or low\$3 or reduc\$4 or small\$4 or least\$4 or less\$4 or min or minim\$4) near7 (predict\$4 or \$2pcm)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 16:14
5	297292	(SPIHT or ZASB or S-Transform\$5 or TS-Transform\$5 or TT-Transform\$5 or (TS or TT or S) adj1 Transform\$5 or Lifting or Cohen-Daubechies-Feaveau or "S + P" or "S+P" or "integer to integer" or "integers to integers" or Lossles\$4 near (wavelet\$4 or subband\$4 or subband\$1 or WSQ or WLT or DWT or sub adj1 band\$3 or sub-band\$1 or filter\$3 near (bank\$1 or scale\$1 or mirror\$1) or filter-bank\$3 or filter scal\$4 or scale-filter\$3 or mirror-filter\$3 or filterbank\$3 or filterscal\$3 or mirrorfilter\$3 or multiresolution or multi adj1 resolution or MRA or pyramid\$5 or qmf\$1 or cqf\$1 or EZW or ondelette\$1 or Morlet or Symlet or Daubechies or Haar or Meyer or Coiflet or biorthogonal\$4 or bi-orthogonal\$4 or bi adj1 orthogonal\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 16:39
6	28	((SPIHT or ZASB or "integer to integer" or "integers to integers" or Lossles\$4 near (wavelet\$4 or subband\$4 or subband\$1 or WSQ or WLT or DWT or sub adj1 band\$3 or sub-band\$1 or filter\$3 near (bank\$1 or scale\$1 or mirror\$1) or filter-bank\$3 or filter scal\$4 or scale-filter\$3 or mirror-filter\$3 or filterbank\$3 or filterscal\$3 or mirrorfilter\$3 or multiresolution or multi adj1 resolution or MRA or pyramid\$5 or qmf\$1 or cqf\$1 or EZW or ondelette\$1 or Morlet or Symlet or Daubechies or Haar or Meyer or Coiflet or biorthogonal\$4 or bi-orthogonal\$4 or bi adj1 orthogonal\$4))) and (DC or low\$8 or LPF or LF or LP or LL\$3 or less\$2 or low\$3 or reduc\$4 or small\$4 or least\$4 or less\$4 or min or minim\$4) near7 (predict\$4 or \$2pcm)) and (DC or low\$8 or LPF or LF or LP or LL\$3 or less\$2 or low\$3 or reduc\$4 or small\$4 or least\$4 or less\$4 or min or minim\$4) near7 (predict\$4 or \$2pcm)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 16:17

09/716,603

7	51	((("20030179938") or ("20030171919") or ("20030133500") or ("20030123742") or ("20030081809") or ("20030059096") or ("20030026339") or ("20030005140") or ("20020159653") or ("20020150164") or ("20020118759") or ("20020110280") or ("20020080408") or ("20020057850") or ("20020057844") or ("20020044696") or ("6625321") or ("6625217") or ("6532256") or ("6519284") or ("6393060") or ("6359928") or ("6327392") or ("6266414") or ("6226325") or ("5867602") or ("NNRD453145") or ("200106794"))).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 16:17
8	27	((("20030179938") or ("20030171919") or ("20030133500") or ("20030123742") or ("20030081809") or ("20030059096") or ("20030026339") or ("20030005140") or ("20020159653") or ("20020150164") or ("20020118759") or ("20020110280") or ("20020080408") or ("20020057850") or ("20020057844") or ("20020044696") or ("6625321") or ("6625217") or ("6532256") or ("6519284") or ("6393060") or ("6359928") or ("6327392") or ("6266414") or ("6226325") or ("5867602") or ("NNRD453145") or ("200106794"))).PN.) and (DC or low\$8 or LPF or LF or LP or LL\$3 or less\$2 or low\$3 or reduc\$4 or small\$4 or least\$4 or less\$4 or min or minim\$4) near7 (predict\$4 or \$2pcm)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 16:17
9	299866	(SPIHT or ZASB or S-Transform\$5 or TS-Transform\$5 or TT-Transform\$5 or (TS or TT or S) adj1 Transform\$5 or Lifting or Cohen-Daubechies-Feaveau or "S + P" or "S+P" or "integer to integer" or "integers to integers" or (revers\$7 or Lossles\$4) near (wavelet\$4 or subband\$4 or subband\$1 or WSQ or WLT or DWT or sub adj1 band\$3 or sub-band\$1 or filter\$3 near (bank\$1 or scale\$1 or mirror\$1) or filter-bank\$3 or filter scal\$4 or scale-filter\$3 or mirror-filter\$3 or filterbank\$3 or filterscal\$3 or mirrorfilter\$3 or multiresolution or multi adj1 resolution or MRA or pyramid\$5 or qmf\$1 or cqf\$1 or EZW or ondelette\$1 or Morlet or Symlet or Daubechies or Haar or Meyer or Coiflet or biorthogonal\$4 or bi-orthogonal\$4 or bi adj1 orthogonal\$4)) reversib\$7 same integer\$4 same lossles\$4 same wavelet\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 17:40
11	44		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 16:44
12	1005	dpcm same predict\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 16:45
13	356	dpcm near3 predict\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 16:46
14	18	((SPIHT or ZASB or S-Transform\$5 or TS-Transform\$5 or TT-Transform\$5 or (TS or TT or S) adj1 Transform\$5 or Lifting or Cohen-Daubechies-Feaveau or "S + P" or "S+P" or "integer to integer" or "integers to integers" or (revers\$7 or Lossles\$4) near (wavelet\$4 or subband\$4 or subband\$1 or WSQ or WLT or DWT or sub adj1 band\$3 or sub-band\$1 or filter\$3 near (bank\$1 or scale\$1 or mirror\$1) or filter-bank\$3 or filter scal\$4 or scale-filter\$3 or mirror-filter\$3 or filterbank\$3 or filterscal\$3 or mirrorfilter\$3 or multiresolution or multi adj1 resolution or MRA or pyramid\$5 or qmf\$1 or cqf\$1 or EZW or ondelette\$1 or Morlet or Symlet or Daubechies or Haar or Meyer or Coiflet or biorthogonal\$4 or bi-orthogonal\$4 or bi adj1 orthogonal\$4))) and (dpcm near3 predict\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 16:45

15	214	(345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-254.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and (dpcm near3 predict\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 17:30
16	2	6266414.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 17:30
17	1	((SPIHT or ZASB or S-Transform\$5 or TS-Transform\$5 or TT-Transform\$5 or (TS or TT or S) adj1 Transform\$5 or Lifting or Cohen-Daubechies-Feaveau or "S + P" or "S+P" or "integer to integer" or "integers to integers" or (revers\$7 or Lossles\$4) near (wavelet\$4 or subband\$4 or subband\$1 or WSQ or WLT or DWT or sub adj1 band\$3 or sub-band\$1 or filter\$3 near (bank\$1 or scale\$1 or mirror\$1) or filter-bank\$3 or filter scal\$4 or scale-filter\$3 or mirror-filter\$3 or filterbank\$3 or filterscal\$3 or mirrorfilter\$3 or multiresolution or multi adj1 resolution or MRA or pyramid\$5 or qmf\$1 or cqf\$1 or EZW or ondelette\$1 or Morlet or Symlet or Daubechies or Haar or Meyer or Coiflet or biorthogonal\$4 or bi-orthogonal\$4 or bi adj1 orthogonal\$4))) and 6266414.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 17:33
18	46	((SPIHT or ZASB or S-Transform\$5 or TS-Transform\$5 or TT-Transform\$5 or (TS or TT or S) adj1 Transform\$5 or Lifting or Cohen-Daubechies-Feaveau or "S + P" or "S+P" or "integer to integer" or "integers to integers" or (revers\$7 or Lossles\$4) near (wavelet\$4 or subband\$4 or subband\$1 or WSQ or WLT or DWT or sub adj1 band\$3 or sub-band\$1 or filter\$3 near (bank\$1 or scale\$1 or mirror\$1) or filter-bank\$3 or filter scal\$4 or scale-filter\$3 or mirror-filter\$3 or filterbank\$3 or filterscal\$3 or mirrorfilter\$3 or multiresolution or multi adj1 resolution or MRA or pyramid\$5 or qmf\$1 or cqf\$1 or EZW or ondelette\$1 or Morlet or Symlet or Daubechies or Haar or Meyer or Coiflet or biorthogonal\$4 or bi-orthogonal\$4 or bi adj1 orthogonal\$4))) same (DC or low\$8 or LPF or LF or LP or LL\$3 or less\$2 or low\$3 or reduc\$4 or small\$4 or least\$4 or less\$4 or min or minim\$4) near7 (predict\$4 or \$2pcm)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 17:34
19	299866	(SPIHT or S-Transform\$5 or TS-Transform\$5 or TT-Transform\$5 or (TS or TT or S) adj1 Transform\$5 or Lifting or Cohen-Daubechies-Feaveau or "S + P" or "S+P" or "integer to integer" or "integers to integers" or (revers\$7 or Lossles\$4) near (wavelet\$4 or subband\$4 or subband\$1 or WSQ or WLT or DWT or sub adj1 band\$3 or sub-band\$1 or filter\$3 near (bank\$1 or scale\$1 or mirror\$1) or filter-bank\$3 or filter scal\$4 or scale-filter\$3 or mirror-filter\$3 or filterbank\$3 or filterscal\$3 or mirrorfilter\$3 or multiresolution or multi adj1 resolution or MRA or pyramid\$5 or qmf\$1 or cqf\$1 or EZW or ondelette\$1 or Morlet or Symlet or Daubechies or Haar or Meyer or Coiflet or biorthogonal\$4 or bi-orthogonal\$4 or bi adj1 orthogonal\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 17:41

23	101747	((SPIHT or S-Transform\$5 or TS-Transform\$5 or TT-Transform\$5 or (TS or TT or S) adj1 Transform\$5 or Lifting or Cohen-Daubechies-Feaveau or "S + P" or "S+P" or "integer to integer" or "integers to integers" or (revers\$7 or Lossles\$4) near (wavelet\$4 or subband\$4 or subband\$1 or WSQ or WLT or DWT or sub adj1 band\$3 or sub-band\$1 or filter\$3 near (bank\$1 or scale\$1 or mirror\$1) or filter-bank\$3 or filter scal\$4 or scale-filter\$3 or mirror-filter\$3 or filterbank\$3 or filterscal\$3 or mirrorfilter\$3 or multiresolution or multi adj1 resolution or MRA or pyramid\$5 or qmf\$1 or cqf\$1 or EZW or ondelette\$1 or Morlet or Symlet or Daubechies or Haar or Meyer or Coiflet or biorthogonal\$4 or bi-orthogonal\$4 or bi adj1 orthogonal\$4))) same (portion\$4 or segment\$5 or partition\$5 or zone\$1 or zoning\$3 or tract\$5 or ROI or AOI or shap\$4 or region\$4 or area\$1 or interior\$1 or region-of-interest\$4 or area-of-interest\$4 or salient or salienc\$4 or subregion\$2 or sub-region\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 17:46
25	639	(382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls. or 341/\$.ccls. or 386/\$.ccls. or 358/\$.ccls. or 707/\$.ccls. or 715.clas.) and (((SPIHT or S-Transform\$5 or TS-Transform\$5 or TT-Transform\$5 or (TS or TT or S) adj1 Transform\$5 or Lifting or Cohen-Daubechies-Feaveau or "S + P" or "S+P" or "integer to integer" or "integers to integers" or (revers\$7 or Lossles\$4) near (wavelet\$4 or subband\$4 or subband\$1 or WSQ or WLT or DWT or sub adj1 band\$3 or sub-band\$1 or filter\$3 near (bank\$1 or scale\$1 or mirror\$1) or filter-bank\$3 or filter scal\$4 or scale-filter\$3 or mirror-filter\$3 or filterbank\$3 or filterscal\$3 or mirrorfilter\$3 or multiresolution or multi adj1 resolution or MRA or pyramid\$5 or qmf\$1 or cqf\$1 or EZW or ondelette\$1 or Morlet or Symlet or Daubechies or Haar or Meyer or Coiflet or biorthogonal\$4 or bi-orthogonal\$4 or bi adj1 orthogonal\$4))) same (portion\$4 or segment\$5 or partition\$5 or zone\$1 or zoning\$3 or tract\$5 or ROI or AOI or shap\$4 or region\$4 or area\$1 or interior\$1 or region-of-interest\$4 or area-of-interest\$4 or salient or salienc\$4 or subregion\$2 or sub-region\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 17:46
24	114	(345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-254.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and (((SPIHT or S-Transform\$5 or TS-Transform\$5 or TT-Transform\$5 or (TS or TT or S) adj1 Transform\$5 or Lifting or Cohen-Daubechies-Feaveau or "S + P" or "S+P" or "integer to integer" or "integers to integers" or (revers\$7 or Lossles\$4) near (wavelet\$4 or subband\$4 or subband\$1 or WSQ or WLT or DWT or sub adj1 band\$3 or sub-band\$1 or filter\$3 near (bank\$1 or scale\$1 or mirror\$1) or filter-bank\$3 or filter scal\$4 or scale-filter\$3 or mirror-filter\$3 or filterbank\$3 or filterscal\$3 or mirrorfilter\$3 or multiresolution or multi adj1 resolution or MRA or pyramid\$5 or qmf\$1 or cqf\$1 or EZW or ondelette\$1 or Morlet or Symlet or Daubechies or Haar or Meyer or Coiflet or biorthogonal\$4 or bi-orthogonal\$4 or bi adj1 orthogonal\$4))) same (portion\$4 or segment\$5 or partition\$5 or zone\$1 or zoning\$3 or tract\$5 or ROI or AOI or shap\$4 or region\$4 or area\$1 or interior\$1 or region-of-interest\$4 or area-of-interest\$4 or salient or salienc\$4 or subregion\$2 or sub-region\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 18:01

26	78194	((SPIHT or S-Transform\$5 or TS-Transform\$5 or TT-Transform\$5 or (TS or TT or S) adj1 Transform\$5 or Lifting or Cohen-Daubechies-Feaveau or "S + P" or "S+P" or "integer to integer" or "integers to integers" or (revers\$7 or Lossles\$4) near (wavelet\$4 or subband\$4 or subband\$1 or WSQ or WLT or DWT or sub adj1 band\$3 or sub-band\$1 or filter\$3 near (bank\$1 or scale\$1 or mirror\$1) or filter-bank\$3 or filter scal\$4 or scale-filter\$3 or mirror-filter\$3 or filterbank\$3 or filterscal\$3 or mirrorfilter\$3 or multiresolution or multi adj1 resolution or MRA or pyramid\$5 or qmf\$1 or cqf\$1 or EZW or ondelette\$1 or Morlet or Symlet or Daubechies or Haar or Meyer or Coiflet or biorthogonal\$4 or bi-adj1 orthogonal\$4))) same (indication\$1 or indicator\$1 or header\$1 or overhead or over adj1 head or over-head or syntax\$2 or syntact\$4 or handle\$1 or side or side-information or control-information or (control or side) adj1 information or prefix\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 18:01
27	92	(345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-254.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and ((382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls. or 341/\$.ccls. or 386/\$.ccls. or 358/\$.ccls. or 707/\$.ccls. or 715.ccls.) and (((SPIHT or S-Transform\$5 or TS-Transform\$5 or TT-Transform\$5 or (TS or TT or S) adj1 Transform\$5 or Lifting or Cohen-Daubechies-Feaveau or "S + P" or "S+P" or "integer to integer" or "integers to integers" or (revers\$7 or Lossles\$4) near (wavelet\$4 or subband\$4 or subband\$1 or WSQ or WLT or DWT or sub adj1 band\$3 or sub-band\$1 or filter\$3 near (bank\$1 or scale\$1 or mirror\$1) or filter-bank\$3 or filter scal\$4 or scale-filter\$3 or mirror-filter\$3 or filterbank\$3 or filterscal\$3 or mirrorfilter\$3 or multiresolution or multi adj1 resolution or MRA or pyramid\$5 or qmf\$1 or cqf\$1 or EZW or ondelette\$1 or Morlet or Symlet or Daubechies or Haar or Meyer or Coiflet or biorthogonal\$4 or bi-adj1 orthogonal\$4))) same (portion\$4 or segment\$5 or partition\$5 or zone\$1 or zoning\$3 or tract\$5 or ROI or AOI or shap\$4 or region\$4 or area\$1 or interior\$1 or region-of-interest\$4 or area-of-interest\$4 or salient or salienc\$4 or subregion\$2 or sub-region\$2)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 18:02
28	51	(345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-254.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and (((SPIHT or S-Transform\$5 or TS-Transform\$5 or TT-Transform\$5 or (TS or TT or S) adj1 Transform\$5 or Lifting or Cohen-Daubechies-Feaveau or "S + P" or "S+P" or "integer to integer" or "integers to integers" or (revers\$7 or Lossles\$4) near (wavelet\$4 or subband\$4 or subband\$1 or WSQ or WLT or DWT or sub adj1 band\$3 or sub-band\$1 or filter\$3 near (bank\$1 or scale\$1 or mirror\$1) or filter-bank\$3 or filter scal\$4 or scale-filter\$3 or mirror-filter\$3 or filterbank\$3 or filterscal\$3 or mirrorfilter\$3 or multiresolution or multi adj1 resolution or MRA or pyramid\$5 or qmf\$1 or cqf\$1 or EZW or ondelette\$1 or Morlet or Symlet or Daubechies or Haar or Meyer or Coiflet or biorthogonal\$4 or bi-adj1 orthogonal\$4))) same (indication\$1 or indicator\$1 or header\$1 or overhead or over adj1 head or over-head or syntax\$2 or syntact\$4 or handle\$1 or side or side-information or control-information or (control or side) adj1 information or prefix\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 18:37

29	833	((SPIHT or S-Transform\$5 or TS-Transform\$5 or TT-Transform\$5 or (TS or TT or S) adj1 Transform\$5 or Lifting or Cohen-Daubechies-Feaveau or "S + P" or "S+P" or "integer to integer" or "integers to integers" or (revers\$7 or Lossles\$4) near (wavelet\$4 or subband\$4 or subband\$1 or WSQ or WLT or DWT or sub adj1 band\$3 or sub-band\$1 or filter\$3 near (bank\$1 or scale\$1 or mirror\$1) or filter-bank\$3 or filter scal\$4 or scale-filter\$3 or mirror-filter\$3 or filterbank\$3 or filterscal\$3 or mirrorfilter\$3 or multiresolution or multi adj1 resolution or MRA or pyramid\$5 or qmf\$1 or cqf\$1 or EZW or ondelette\$1 or Morlet or Symlet or Daubechies or Haar or Meyer or Coiflet or biorthogonal\$4 or bi-orthogonal\$4 or bi adj1 orthogonal\$4))) and (DC or low\$8 or LPF or LF or LP or LL\$3 or less\$2 or low\$3 or reduc\$4 or small\$4 or least\$4 or less\$4 or min or minim\$4) near7 (predict\$4 or \$2pcm)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 18:38
30	73	(382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls. or 341/\$.ccls. or 386/\$.ccls. or 358/\$.ccls. or 707/\$.ccls. or 715.ccls.) and (((SPIHT or S-Transform\$5 or TS-Transform\$5 or TT-Transform\$5 or (TS or TT or S) adj1 Transform\$5 or Lifting or Cohen-Daubechies-Feaveau or "S + P" or "S+P" or "integer to integer" or "integers to integers" or (revers\$7 or Lossles\$4) near (wavelet\$4 or subband\$4 or subband\$1 or WSQ or WLT or DWT or sub adj1 band\$3 or sub-band\$1 or filter\$3 near (bank\$1 or scale\$1 or mirror\$1) or filter-bank\$3 or filter scal\$4 or scale-filter\$3 or mirror-filter\$3 or filterbank\$3 or filterscal\$3 or mirrorfilter\$3 or multiresolution or multi adj1 resolution or MRA or pyramid\$5 or qmf\$1 or cqf\$1 or EZW or ondelette\$1 or Morlet or Symlet or Daubechies or Haar or Meyer or Coiflet or biorthogonal\$4 or bi-orthogonal\$4 or bi adj1 orthogonal\$4))) and (DC or low\$8 or LPF or LF or LP or LL\$3 or less\$2 or low\$3 or reduc\$4 or small\$4 or least\$4 or less\$4 or min or minim\$4) near7 (predict\$4 or \$2pcm)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 18:46
31	2	5867602.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 18:49
32	13712	atm near2 network\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 18:50
33	44	((SPIHT or S-Transform\$5 or TS-Transform\$5 or TT-Transform\$5 or (TS or TT or S) adj1 Transform\$5 or Lifting or Cohen-Daubechies-Feaveau or "S + P" or "S+P" or "integer to integer" or "integers to integers" or (revers\$7 or Lossles\$4) near (wavelet\$4 or subband\$4 or subband\$1 or WSQ or WLT or DWT or sub adj1 band\$3 or sub-band\$1 or filter\$3 near (bank\$1 or scale\$1 or mirror\$1) or filter-bank\$3 or filter scal\$4 or scale-filter\$3 or mirror-filter\$3 or filterbank\$3 or filterscal\$3 or mirrorfilter\$3 or multiresolution or multi adj1 resolution or MRA or pyramid\$5 or qmf\$1 or cqf\$1 or EZW or ondelette\$1 or Morlet or Symlet or Daubechies or Haar or Meyer or Coiflet or biorthogonal\$4 or bi-orthogonal\$4 or bi adj1 orthogonal\$4))) and (atm near2 network\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 18:51
34	294	(atm near2 network\$4) and (345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-254.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 18:52

35	3770	asynchron\$4 near7 (atm near2 network\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 18:53
36	96	((atm near2 network\$4) and (345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-254.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.)) and (asynchron\$4 near7 (atm near2 network\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 19:30
37	154823	(indication\$1 or indicator\$1 or header\$1 or overhead or over adj1 head or over-head or syntax\$2 or syntact\$4 or handle\$1 or side or side-information or control-information or (control or side) adj1 information or prefix\$4) near7 (size\$1 or resolution\$1 or qty or quantit\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 19:31